



Cast iron range - Bollards

CAST IRON FIXED OR REMOVABLE BOLLARDS




ZINCATURA
A CALDO



300 mm

Nodular cast iron bollards, hot galvanized, with splined grooves for fixing to the ground directly or with a special "Floor Socket" system (removable version); some models are also equipped with lateral rings to house a chain.



925 mm

915 mm

900 mm

870 mm

650 mm



Ø mm 170
C



Ø 200 mm
B



Ø 150 mm
A



Ø 100 mm
101/1



Ø 130 mm
130/1




Ø 100 mm
103/1



Ø 210 mm
133/1



Ø 130 mm
140/1





Cast iron range - Bollards

1051 mm

915 mm






Ø 100 mm
102/1 e 102/2



Ø 169 mm
160/1 e 160/2



Ø 169 mm
150/1 e 150/2




570 mm


520 mm



Ø 340 mm
110/1



Ø 305 mm
115/1




Nodular cast iron **SHORT BOLLARD**, hot galvanized, with splined grooves for fixing them to the ground directly or with a special "Floor Socket" system (removable version)

ZINCATURA
A CALDO

Cast iron range - Bollards


ZINCATURA
A CALDO



TRENTO BOLLARD

TRENTO BOLLARD, in nodular hot galvanized cast iron, filled with concrete, self-levelling, with a thread bar to fix an eye-bolt or a pipe for sign board.

Dimensions:
Height: 538 mm
Overall diameter: Ø 530 mm
Weight: 86,50 kg




JOINT BOLLARD, in nodular cast iron with splined grooves for fixing to the ground directly or with a special "Floor Socket" system (removable version), equipped with joints to house the listed additional elements.

Dimensions:
Useful height: 1150 mm
Overall diameter: Ø 170 mm
Weight: 29,20 kg

ZINCATURA
A CALDO


JOINT BOLLARD

Cast iron range – Additional elements for joint bollards




RAILING consisting of a steel frame and flats covered by wooden panels in iroko or larch, then padded with a steel structure.

Dimensions:
IN STEEL, WITH 1 OR 2 CROSSES
Useful height: 850 mm
Length (bollards' distance): 1500/2000 mm



WITH STEEL OR WOODEN STRUCTURE
Useful height: 850 mm
Length (bollards' distance): 2000 mm



PLANTER L 2000 in hot galvanized steel for joint bollards.

Dimensions:
Width: 340 mm
Height: 350 mm
Length: 2000 mm



Bellitalia s.r.l. Viale Cadore, 67 - 32014 Ponte nelle Alpi (Belluno)
Tel. (0039) 0437 990047 r.a. • Fax (0039) 0437 998839 • www.bellitalia.net • info@bellitalia.net

Cast iron range - Bollards



CHAIN